

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|---------------------|
| L1 | 450 | 717/165-167. ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/25 13:58 |
| L2 | 611 | 719/331-332. ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/25 13:59 |
| L3 | 1 | (remote near3 class near3 loader\$1) with (retriev\$3 obtain\$3) with (class\$2 code \$1 module\$1 software) and ((stor\$3 sav \$3) with (default class \$path) near5 (location\$1 memory)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/25 14:01 |
| L4 | 1 | (remote near3 class near3 loader\$1) with (retriev\$3 obtain\$3) with (class\$2 code \$1 module\$1 software) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/25 14:02 |
| L5 | 15 | (class near3 loader\$1) with (retriev\$3 obtain\$3) with (class\$2 code \$1 module\$1 software) with network | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/25 14:03 |

| | | | | | | |
|-----|------|--|---|----|-----|------------------|
| L6 | 33 | (class near3 loader\$1) with (retriev\$3 obtain\$3) with (class\$2 code \$1 module\$1 software) with (network server \$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/25 14:03 |
| L7 | 7 | 1 and 6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/25 14:03 |
| L8 | 1098 | 2 and6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/25 14:03 |
| L9 | 5 | 2 and 6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/25 14:03 |
| L10 | 26 | ((default near3 class near3 loader\$1) and ((custom remote) near3 class near3 loader\$1) and ((load\$3 download\$3 retriev\$3 obtain \$3) with (class \$2 code\$1 module\$1) with (network server\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/25 14:06 |
| L11 | 32 | ((default near3 class near3 loader\$1) and ((custom remote) near3 class near3 loader\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/25 14:07 |

| | | | | | | |
|-----|-----|---|---|----|-----|---------------------|
| L12 | 123 | (class near3 loader\$1) and ((custom remote) near3 class near3 loader\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/25 14:07 |
| L13 | 24 | 1 and 12 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/25 14:07 |
| L14 | 7 | 2 and 12 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/25 14:07 |
| L15 | 77 | (class near3 loader\$1) and ((custom remote) near3 class near3 loader\$1) and ((load\$3 download\$3 retriev\$3 obtain \$3) with (class \$2 code\$1 module\$1) with (network server\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/25 14:07 |
| L16 | 17 | 1 and 15 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/25 14:07 |
| L17 | 6 | 2 and 15 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/25 14:07 |

| | | | | | | |
|-----|----|---|---|----|-----|---------------------|
| L18 | 16 | ((obtain\$3 retriev\$3) near5 (class\$2 code\$1 module \$1) with (network server \$1)) and (remote near3 class near3 loader\$1) same ((default near3 class near3 loader) (class near3 loader\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/25 14:31 |
|-----|----|---|---|----|-----|---------------------|

2/ 25/ 09 2:33:09 PM**C:\ Documents and Settings\ dcao\ My Documents\ EAST\ Workspaces\ 10600906.wsp**